



••••• HEDIS - Effectiveness of Acute Care •••••

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2009 through Dec 31, 2009

Location	Provider	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	Appropriate Testing for Children with Pharyngitis	Appropriate Treatment for Children with Upper Respiratory Infection
SETMA 1	Aziz	18.4%	0.0%	--
	Duncan	27.3%	10.0%	7.1%
	Henderson	21.5%	22.2%	0.0%
	Murphy	22.9%	0.0%	--
	Thomas	25.9%	33.3%	0.0%
SETMA 1 Totals:		24.8%	15.6%	4.0%
SETMA 2	Anthony	9.8%	17.1%	0.0%
	Anwar	40.0%	--	--
	Colbert	50.0%	40.7%	8.1%
	Cricchio, M	51.0%	37.5%	0.0%
	Holly	42.9%	--	--
	Leifeste	20.0%	0.0%	--
	Wheeler	13.3%	53.5%	42.9%
SETMA 2 Totals:		34.2%	36.7%	9.4%
SETMA West	Anthony	--	--	--
	Curry	7.0%	50.0%	0.0%
	Halbert	17.9%	0.0%	0.0%
	Horn	9.5%	69.7%	10.0%
	Satterwhite	10.0%	69.2%	50.0%
	Vardiman	37.5%	0.0%	--
	Young	28.5%	16.7%	7.7%
SETMA West Totals:		19.8%	43.8%	5.0%
SETMA Totals:		25.4%	36.2%	7.8%

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

Appropriate Testing for Children with Pharyngitis - Patients 2 to 18 years of age who were diagnosed with Pharyngitis and given an antibiotic and a strep test for the episode.



HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only
Encounter Date(s): Jan 1, 2009 through Dec 31, 2009

Appropriate Treatment for Children with Upper Respiratory Infection - Patients 3 months to 18 years of age who were diagnosed with upper respiratory infection and not prescribed an antibiotic.