



HEDIS - Effectiveness of Preventive Care - Older Adults

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2011 through Dec 31, 2011
 Report Criteria: Patients 65 And Older

| Location | Provider | Advance Care Planning | Medication Review | Functional Assessment | Pain Screening | At Least 1 High Risk Medication | At Least 2 High Risk Medications | Glaucoma Screening |
|------------------------|-------------|-----------------------|-------------------|-----------------------|----------------|---------------------------------|----------------------------------|--------------------|
| SETMA 1 | Aziz | 25.1% | 89.8% | 98.8% | 98.7% | 32.0% | 15.7% | 99.0% |
| | Duncan | 12.9% | 99.7% | 94.5% | 96.3% | 46.3% | 18.1% | 98.6% |
| | Halbert | 0.0% | 100.0% | 100.0% | 100.0% | 0.0% | 0.0% | 100.0% |
| | Henderson | 22.2% | 100.0% | 99.6% | 99.7% | 33.2% | 13.3% | 99.4% |
| | Murphy | 10.8% | 99.4% | 98.6% | 99.0% | 34.1% | 11.6% | 99.8% |
| | Palang | 5.4% | 97.7% | 97.9% | 98.7% | 30.1% | 9.1% | 99.8% |
| | Thomas | 17.7% | 82.3% | 91.0% | 99.3% | 34.7% | 13.0% | 97.7% |
| SETMA 1 Totals: | | 15.4% | 96.5% | 97.9% | 98.6% | 34.5% | 13.3% | 99.3% |
| SETMA 2 | Abbas | 0.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | Anthony | 32.7% | 99.8% | 99.6% | 99.7% | 32.0% | 11.6% | 99.4% |
| | Anwar | 67.0% | 100.0% | 98.8% | 98.8% | 27.4% | 9.5% | 99.4% |
| | Colbert | -- | -- | -- | -- | -- | -- | -- |
| | Cricchio, A | 18.6% | 100.0% | 84.8% | 85.4% | 33.6% | 12.0% | 99.8% |
| | Cricchio, M | 24.7% | 100.0% | 99.3% | 99.2% | 42.5% | 16.5% | 99.5% |
| | Deiparine | -- | -- | -- | -- | -- | -- | -- |
| | Holly | 23.6% | 100.0% | 100.0% | 100.0% | 23.8% | 6.9% | 100.0% |
| | Leifeste | 14.8% | 99.9% | 97.5% | 97.9% | 27.4% | 10.6% | 98.0% |
| | Murphy | -- | -- | -- | -- | -- | -- | -- |
| | Wheeler | 31.7% | 93.0% | 97.2% | 97.4% | 41.1% | 15.8% | 99.2% |
| SETMA 2 Totals: | | 37.9% | 99.1% | 97.8% | 97.9% | 32.1% | 11.8% | 99.2% |
| SETMA West | Curry | 7.6% | 99.8% | 99.6% | 99.6% | 34.7% | 12.8% | 99.6% |
| | Deiparine | 8.6% | 98.9% | 98.4% | 98.4% | 31.5% | 10.9% | 99.7% |
| | Halbert | 6.5% | 100.0% | 98.9% | 98.9% | 30.9% | 12.6% | 99.4% |
| | Horn | 13.7% | 100.0% | 99.6% | 99.6% | 38.2% | 12.1% | 97.6% |
| | Qureshi | 11.2% | 99.7% | 99.7% | 99.9% | 41.6% | 17.3% | 83.6% |
| | Satterwhite | 17.0% | 100.0% | 100.0% | 100.0% | 35.4% | 15.5% | 98.9% |



HEDIS - Effectiveness of Preventive Care - Older Adults

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2011 through Dec 31, 2011
 Report Criteria: Patients 65 And Older

| Location | Provider | Advance Care Planning | Medication Review | Functional Assessment | Pain Screening | At Least 1 High Risk Medication | At Least 2 High Risk Medications | Glaucoma Screening |
|---------------------------|----------|-----------------------|-------------------|-----------------------|----------------|---------------------------------|----------------------------------|--------------------|
| SETMA West | Vardiman | 10.7% | 99.5% | 99.1% | 99.2% | 33.3% | 13.3% | 91.4% |
| SETMA West Totals: | | 9.8% | 99.7% | 99.2% | 99.2% | 34.1% | 13.0% | 96.6% |
| SETMA Totals: | | 21.2% | 98.4% | 98.3% | 98.6% | 33.6% | 12.7% | 98.4% |

Advanced Care Planning - Advanced care planning should be discussed or documented as on file.

Medication Review - Medication assessment and reconciliation should be completed at least yearly.

Functional Assessment - A functional assessment should be completed at least yearly.

Pain Screening - A pain screening should be completed at least yearly.

High Risk Medications - Patients who have an active prescription of (a) one or (b) two or more medications which are considered high-risk for use in the elderly.

Glaucoma Screening - A dilated eye exam should be completed at least yearly.