



## NQF - Female Measures

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2011 through Dec 31, 2011

Location	Provider	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Osteoporosis Management in Women who had a Fracture
SETMA 1	Aziz	35.4%	76.8%	0.0%	0.0%
	Duncan	34.9%	81.1%	24.1%	25.0%
	Henderson	51.7%	77.0%	9.7%	66.7%
	Murphy	36.8%	63.3%	0.0%	0.0%
	Palang	40.0%	65.3%	0.0%	--
	Thomas	36.0%	53.2%	0.0%	--
<b>SETMA 1 Totals:</b>		40.1%	74.6%	17.7%	20.7%
SETMA 2	Anthony	46.3%	70.9%	0.0%	25.0%
	Anwar	65.7%	79.6%	0.0%	0.0%
	Colbert	--	--	0.0%	--
	Cricchio, A	39.3%	56.3%	0.0%	0.0%
	Cricchio, M	51.3%	66.9%	11.1%	33.3%
	Holly	43.1%	66.7%	--	--
	Leifeste	68.1%	80.2%	0.0%	33.3%
	Wheeler	43.6%	81.2%	6.1%	25.0%
<b>SETMA 2 Totals:</b>		53.2%	75.4%	4.9%	15.6%
SETMA West	Curry	47.7%	74.3%	33.3%	0.0%
	Deiparine	36.9%	64.5%	11.8%	0.0%
	Halbert	26.6%	42.1%	0.0%	0.0%
	Horn	37.2%	59.0%	8.6%	0.0%
	Qureshi	41.0%	61.4%	36.4%	--
	Satterwhite	36.0%	58.4%	0.0%	--
	Vardiman	35.5%	53.4%	20.0%	0.0%
<b>SETMA West Totals:</b>		37.3%	60.2%	14.8%	0.0%
<b>SETMA Totals:</b>		42.3%	67.3%	12.1%	14.5%

Breast Cancer Screening - Yearly mammography screening for women 40 to 69 years of age.



## **NQF - Female Measures**

---

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2011 through Dec 31, 2011

---

Cervical Cancer Screening - Cervical cancer screening for women 21 to 64 years of age at least every two years.

Chlamydia Screening - Sexually active females between the ages of 16 and 24 should have a Chlamydia screening at least yearly.

Osteoporosis Management In Women Who Had A Fracture - Women 67 years of age and older who suffered a fracture and who had either (1) a bone mineral density test or (2) a prescription for a drug to treat osteoporosis within six months following the fracture.