



## NQF - Medication Measures

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2011 through Dec 31, 2011

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA 1	Aziz	96.1%	75.9%	31.8%	81.8%	32.0%	15.7%	98.9%	66.5%
	Duncan	94.5%	85.0%	15.3%	68.9%	46.3%	18.1%	81.6%	53.4%
	Halbert	100.0%	--	--	100.0%	0.0%	0.0%	100.0%	100.0%
	Henderson	98.6%	79.5%	15.7%	77.1%	33.2%	13.3%	99.7%	64.7%
	Murphy	90.1%	76.1%	60.0%	77.7%	34.1%	11.6%	99.7%	51.8%
	Palang	96.7%	87.0%	14.3%	75.1%	30.1%	9.1%	97.2%	64.8%
	Thomas	95.2%	82.4%	19.2%	69.0%	34.7%	13.0%	99.7%	56.2%
<b>SETMA 1 Totals:</b>		94.8%	81.4%	19.2%	77.1%	34.5%	13.3%	95.5%	60.5%
SETMA 2	Abbas	100.0%	--	--	--	100.0%	100.0%	0.0%	--
	Anthony	96.3%	78.2%	5.0%	79.2%	32.0%	11.6%	97.9%	55.5%
	Anwar	98.9%	76.1%	75.0%	78.8%	27.4%	9.5%	98.2%	61.2%
	Colbert	93.2%	76.7%	--	--	--	--	96.7%	--
	Cricchio, A	96.6%	52.9%	0.0%	80.6%	33.6%	12.0%	99.9%	77.9%
	Cricchio, M	96.5%	81.5%	71.7%	75.4%	42.5%	16.5%	98.1%	70.4%
	Deiparine	100.0%	--	--	--	--	--	100.0%	--
	Holly	98.0%	100.0%	--	79.5%	23.8%	6.9%	98.2%	37.0%
	Leifeste	97.9%	92.4%	--	74.4%	27.4%	10.6%	99.2%	64.7%
	Murphy	100.0%	--	--	100.0%	--	--	100.0%	--
	Wheeler	98.6%	77.5%	33.3%	74.7%	41.1%	15.8%	69.4%	54.8%
<b>SETMA 2 Totals:</b>		96.9%	79.2%	42.2%	77.4%	32.1%	11.8%	93.9%	62.3%
SETMA West	Curry	95.4%	76.1%	13.3%	78.4%	34.7%	12.8%	100.0%	78.7%
	Deiparine	96.2%	70.1%	24.1%	74.8%	31.5%	10.9%	97.1%	63.5%
	Halbert	97.7%	74.0%	9.1%	76.3%	30.9%	12.6%	96.4%	61.4%
	Horn	98.6%	74.1%	26.3%	81.2%	38.2%	12.1%	99.3%	60.8%



## NQF - Medication Measures

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2011 through Dec 31, 2011

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA West	Qureshi	96.9%	71.8%	8.2%	67.3%	41.6%	17.3%	99.5%	51.5%
	Satterwhite	89.5%	88.4%	0.0%	80.0%	35.4%	15.5%	91.0%	61.7%
	Vardiman	95.8%	81.7%	59.0%	77.3%	33.3%	13.3%	96.6%	56.6%
<b>SETMA West Totals:</b>		96.5%	74.6%	30.5%	76.4%	34.1%	13.0%	97.5%	61.0%
<b>SETMA Totals:</b>		96.1%	78.2%	27.5%	77.0%	33.6%	12.7%	95.7%	61.3%

Documentation of Allergies/Reactions - Percentage of patients having documentation of allergies and adverse reactions in their medical record.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

LDL Drug Therapy - Percentage of patients with CAD who were prescribed a lipid-lowering therapy.

Current Medication List - Percentage of patients having a medication list on their medical record.

Warfarin Therapy for Patients with Atrial Fibrillation - Percentage of patients with atrial fibrillation who were perscribed warfarin therapy.