



NQF - Medication Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2012 through Dec 31, 2012

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA 1	Aziz	95.7%	78.4%	50.0%	78.1%	28.5%	14.6%	99.1%	59.6%
	Deiparine	98.5%	71.4%	--	81.9%	35.8%	10.6%	100.0%	68.8%
	Duncan	92.0%	80.4%	11.1%	74.6%	40.7%	17.0%	97.8%	54.6%
	Halbert	0.0%	--	--	--	0.0%	0.0%	--	--
	Henderson	98.1%	85.6%	100.0%	73.5%	28.4%	11.7%	99.6%	69.4%
	Holly	98.0%	100.0%	--	76.7%	18.6%	4.9%	100.0%	80.0%
	Murphy	96.8%	89.4%	--	75.1%	30.7%	10.7%	99.8%	52.5%
	Palang	98.4%	85.4%	0.0%	73.0%	28.3%	10.8%	98.7%	63.3%
	Thomas	99.1%	66.7%	--	40.0%	27.8%	13.9%	100.0%	83.3%
SETMA 1 Totals:		96.4%	83.8%	16.0%	75.1%	30.3%	12.3%	99.1%	61.3%
SETMA 2	Anthony	97.5%	80.0%	100.0%	79.0%	34.2%	13.4%	100.0%	57.1%
	Anwar	99.1%	72.9%	100.0%	78.4%	23.3%	6.4%	99.6%	67.4%
	Cash	96.6%	62.5%	0.0%	78.8%	29.9%	9.1%	100.0%	68.2%
	Colbert	98.2%	74.1%	--	--	--	--	99.2%	--
	Holly	100.0%	--	--	76.9%	33.3%	10.0%	97.5%	66.7%
	LaBorde	96.8%	88.9%	--	82.6%	23.2%	7.7%	100.0%	82.1%
	Leifeste	98.3%	72.9%	--	75.0%	28.1%	8.7%	99.6%	71.6%
	Read	98.9%	88.9%	100.0%	74.8%	34.3%	10.6%	99.7%	59.4%
	Wheeler	97.9%	72.7%	60.0%	62.4%	42.3%	17.4%	99.2%	61.8%
SETMA 2 Totals:		98.1%	76.6%	66.7%	76.0%	30.3%	10.3%	99.6%	64.9%
SETMA Mid County	Castro	97.0%	100.0%	--	66.7%	23.6%	9.7%	99.5%	53.8%
	George	96.8%	100.0%	75.0%	92.9%	22.1%	5.4%	98.5%	61.2%
	Read	98.8%	92.2%	--	69.4%	29.3%	12.0%	98.9%	68.4%
	Shepherd	97.1%	78.7%	100.0%	83.7%	21.4%	4.5%	99.7%	68.1%



NQF - Medication Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2012 through Dec 31, 2012

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA Mid County	Thomas	98.4%	90.6%	50.0%	81.7%	26.4%	8.5%	99.6%	70.7%
SETMA Mid County Totals:		97.7%	88.0%	61.5%	82.4%	23.5%	6.5%	99.5%	67.7%
SETMA West	Darden	98.0%	85.8%	33.3%	74.3%	27.3%	9.0%	100.0%	46.3%
	Deiparine	97.1%	74.3%	--	73.6%	23.5%	7.1%	99.6%	60.3%
	Halbert	96.8%	74.1%	--	71.6%	29.6%	10.5%	98.3%	56.7%
	Horn	98.5%	78.3%	0.0%	76.2%	31.2%	11.4%	99.9%	53.6%
	Qureshi	97.8%	80.7%	0.0%	73.5%	32.9%	9.8%	99.9%	61.7%
	Vardiman	89.8%	82.4%	67.9%	69.1%	33.6%	14.1%	95.0%	60.0%
SETMA West Totals:		97.0%	78.6%	43.5%	73.0%	29.4%	10.2%	99.1%	56.8%
SETMA Totals:		97.2%	80.2%	40.9%	75.5%	29.3%	10.5%	99.3%	62.0%

Documentation of Allergies/Reactions - Percentage of patients having documentation of allergies and adverse reactions in their medical record.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

LDL Drug Therapy - Percentage of patients with CAD who were prescribed a lipid-lowering therapy.

Current Medication List - Percentage of patients having a medication list on their medical record.

Warfarin Therapy for Patients with Atrial Fibrillation - Percentage of patients with atrial fibrillation who were perscribed warfarin therapy.