



NQF - Medication Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2013 through Dec 31, 2013

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA 1	Aziz	94.9%	81.0%	0.0%	81.5%	26.8%	14.0%	98.3%	64.3%
	Duncan	91.0%	88.0%	10.0%	72.5%	38.8%	14.1%	98.2%	54.7%
	Foster	96.9%	92.6%	0.0%	72.1%	38.0%	17.9%	99.9%	46.2%
	Henderson	98.0%	89.0%	100.0%	75.5%	27.2%	8.9%	99.5%	65.1%
	Holly	96.6%	64.3%	--	81.2%	17.8%	4.7%	99.8%	56.1%
	Le	91.4%	83.9%	13.0%	76.7%	33.1%	10.4%	99.6%	62.7%
	Murphy	91.9%	84.4%	100.0%	80.1%	29.2%	11.2%	99.5%	58.5%
	Palang	98.4%	84.0%	22.2%	77.6%	27.2%	9.0%	98.7%	58.6%
	Shepherd	100.0%	100.0%	--	--	--	--	100.0%	--
	Thomas	96.3%	50.0%	--	55.2%	31.0%	7.1%	100.0%	0.0%
SETMA 1 Totals:		94.7%	85.8%	18.8%	77.7%	29.3%	11.1%	99.0%	59.2%
SETMA 2	Anthony	97.6%	78.7%	--	77.4%	30.8%	8.8%	99.7%	66.9%
	Anwar	98.9%	73.3%	--	77.7%	22.7%	7.5%	99.7%	66.5%
	Cash	93.7%	84.6%	--	82.9%	25.3%	6.7%	100.0%	65.1%
	Colbert	98.3%	77.9%	--	--	--	--	98.7%	--
	Foster	96.3%	100.0%	--	88.5%	23.4%	0.0%	100.0%	0.0%
	Leifeste	97.3%	92.3%	100.0%	78.2%	26.1%	7.6%	98.9%	62.6%
	Read	94.8%	78.5%	--	73.7%	28.7%	8.4%	99.5%	74.7%
	Wheeler	96.7%	79.9%	100.0%	69.9%	36.1%	15.2%	99.7%	52.7%
SETMA 2 Totals:		96.8%	79.8%	100.0%	77.3%	27.6%	8.6%	99.4%	65.4%
SETMA Mid County	Castro	97.2%	94.9%	60.0%	81.3%	25.5%	10.7%	99.8%	53.2%
	George	84.5%	100.0%	25.0%	87.1%	23.7%	4.1%	98.8%	58.1%
	Read	100.0%	--	--	--	0.0%	0.0%	100.0%	--
	Shepherd	98.1%	92.1%	40.0%	85.0%	20.8%	5.8%	99.9%	60.2%



NQF - Medication Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2013 through Dec 31, 2013

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA Mid County	Thomas	93.4%	95.0%	0.0%	84.0%	29.8%	10.0%	99.9%	77.4%
SETMA Mid County Totals:		95.6%	94.2%	35.0%	84.0%	24.3%	8.0%	99.8%	61.4%
SETMA Orange	Anwar	100.0%	85.7%	--	81.7%	27.3%	12.2%	98.1%	9.1%
	Aziz	97.0%	100.0%	0.0%	93.3%	20.7%	13.0%	99.4%	66.7%
	Castro	97.1%	100.0%	--	92.3%	35.1%	9.3%	100.0%	33.3%
	Cox	97.6%	57.6%	--	87.2%	27.0%	8.8%	99.9%	20.5%
	Green	92.6%	62.8%	0.0%	81.3%	34.5%	8.7%	99.8%	58.3%
	Holly	100.0%	100.0%	--	84.6%	28.6%	7.1%	100.0%	16.7%
	Le	100.0%	--	--	--	--	--	100.0%	--
	Shepherd	98.9%	100.0%	--	79.3%	25.0%	5.2%	100.0%	52.0%
SETMA Orange Totals:		96.2%	64.8%	0.0%	84.7%	28.8%	9.0%	99.7%	33.3%
SETMA West	Darden	95.8%	82.6%	100.0%	75.1%	27.5%	9.1%	99.8%	49.0%
	Deiparine, C	95.2%	73.2%	--	74.8%	22.8%	6.0%	97.6%	55.5%
	Halbert	94.8%	75.5%	--	73.1%	25.9%	8.6%	99.8%	59.2%
	Horn	98.6%	79.9%	33.3%	79.8%	27.1%	5.1%	100.0%	41.4%
	Qureshi	97.6%	79.3%	0.0%	69.8%	23.9%	7.3%	99.0%	57.5%
SETMA West Totals:		96.4%	78.1%	11.8%	74.3%	25.5%	7.2%	99.3%	53.4%
SETMA Totals:		95.9%	82.1%	22.5%	78.0%	27.2%	9.0%	99.3%	59.4%

Documentation of Allergies/Reactions - Percentage of patients having documentation of allergies and adverse reactions in their medical record.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

LDL Drug Therapy - Percentage of patients with CAD who were prescribed a lipid-lowering therapy.



NQF - Medication Measures

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2013 through Dec 31, 2013

Current Medication List - Percentage of patients having a medication list on their medical record.

Warfarin Therapy for Patients with Atrial Fibrillation - Percentage of patients with atrial fibrillation who were perscribed warfarin therapy.