



HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

Location	Provider	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	Appropriate Testing for Children with Pharyngitis	Appropriate Treatment for Children with Upper Respiratory Infection
SETMA 1	Aziz	--	--	--
	Duncan	0.0%	100.0%	0.0%
	Foster	25.0%	53.5%	14.3%
	Henderson	0.0%	0.0%	0.0%
	Holly	--	--	--
	Le	--	75.0%	0.0%
	McClure	--	--	--
	Murphy	100.0%	100.0%	--
	Palang	0.0%	0.0%	--
	Thomas	--	--	--
SETMA 1 Totals:		12.5%	56.6%	11.1%
SETMA 2	Anthony	--	37.5%	--
	Anwar	100.0%	--	--
	Cash	--	--	--
	Colbert	--	45.8%	0.0%
	Cricchio, M	--	50.0%	--
	Foster	--	--	--
	Leifeste	--	--	--
	Read	--	--	--
	Smith	0.0%	66.7%	0.0%
	Wheeler	--	70.9%	33.3%
SETMA 2 Totals:		40.0%	55.3%	27.3%
SETMA Lumberton	Anwar	--	--	--
	Arcala, A	--	--	--
	Foster	--	--	--
	Halbert	--	--	--



HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

Location	Provider	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	Appropriate Testing for Children with Pharyngitis	Appropriate Treatment for Children with Upper Respiratory Infection
SETMA Lumberton	Holly	--	--	--
	Le	--	54.5%	--
	Leifeste	--	--	--
	Read	--	0.0%	--
	Thomas	--	--	--
SETMA Lumberton Totals:		--	40.0%	--
SETMA Mid County	Castro	--	--	--
	Cricchio, M	--	--	--
	George	18.2%	--	--
	Shepherd	--	--	--
	Thomas	--	--	--
SETMA Mid County Totals:		18.2%	--	--
SETMA Orange	Anwar	--	--	--
	Arcala, A	--	--	--
	Aziz	--	--	--
	Castro	--	--	--
	Cox	--	50.0%	--
	Green	50.0%	57.9%	--
	Le	--	--	--
	Shepherd	--	--	--
SETMA Orange Totals:		50.0%	56.5%	--
SETMA PA	Arcala, A	--	--	--
	Arcala, F	--	--	--
	Castro	--	--	--
	Cricchio, M	--	--	--
	Shepherd	--	--	--



HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

Location	Provider	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	Appropriate Testing for Children with Pharyngitis	Appropriate Treatment for Children with Upper Respiratory Infection
SETMA PA Totals:		--	--	--
SETMA West	Cricchio, M	--	--	--
	Darden	--	0.0%	--
	Deiparine, C	--	0.0%	--
	Halbert	--	0.0%	--
	Horn	66.7%	25.0%	0.0%
	Qureshi	25.0%	50.0%	--
SETMA West Totals:		36.4%	16.7%	0.0%
SETMA Totals:		25.5%	51.9%	15.0%

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

Appropriate Testing for Children with Pharyngitis - Patients 2 to 18 years of age who were diagnosed with Pharyngitis and given an antibiotic and a strep test for the episode.

Appropriate Treatment for Children with Upper Respiratory Infection - Patients 3 months to 18 years of age who were diagnosed with upper respiratory infection and not prescribed an antibiotic.