



## NQF - Medication Measures

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA 1	Aziz	93.3%	87.1%	--	78.3%	27.2%	15.9%	97.3%	66.2%
	Duncan	93.2%	89.9%	0.0%	74.8%	36.3%	13.5%	97.5%	54.5%
	Foster	99.1%	85.7%	25.0%	66.4%	30.7%	10.7%	99.8%	46.8%
	Henderson	97.6%	90.9%	0.0%	77.2%	26.6%	9.5%	99.7%	71.6%
	Holly	95.5%	50.0%	--	79.3%	16.5%	5.1%	98.2%	35.3%
	Le	91.9%	81.5%	--	82.5%	33.3%	13.3%	99.8%	37.8%
	McClure	100.0%	--	--	--	--	--	0.0%	--
	Murphy	11.7%	85.7%	100.0%	84.1%	29.1%	9.4%	99.3%	49.7%
	Palang	97.7%	86.9%	0.0%	79.1%	28.6%	9.8%	99.0%	46.9%
	Thomas	89.4%	60.0%	--	78.3%	44.7%	18.4%	100.0%	28.6%
<b>SETMA 1 Totals:</b>		80.8%	87.1%	12.5%	78.3%	29.4%	11.2%	98.9%	53.9%
SETMA 2	Anthony	95.7%	83.5%	--	76.9%	26.7%	9.2%	99.3%	43.1%
	Anwar	98.5%	75.9%	100.0%	79.7%	24.2%	8.6%	98.9%	57.5%
	Cash	99.7%	82.2%	--	85.0%	23.0%	6.1%	99.9%	59.8%
	Colbert	95.7%	76.8%	--	--	--	--	98.7%	--
	Cricchio, M	97.9%	85.7%	--	82.6%	37.5%	11.0%	57.0%	75.0%
	Foster	100.0%	100.0%	--	100.0%	35.5%	3.2%	100.0%	40.0%
	Leifeste	0.0%	--	--	--	0.0%	0.0%	--	--
	Read	0.0%	--	--	--	--	--	--	--
	Smith	94.9%	77.1%	0.0%	64.2%	34.4%	13.1%	81.9%	33.3%
Wheeler	56.9%	81.3%	--	66.1%	36.1%	15.6%	99.0%	50.0%	
<b>SETMA 2 Totals:</b>		89.8%	80.2%	40.0%	77.8%	27.1%	9.4%	97.3%	52.2%
SETMA Lumberton	Anwar	100.0%	0.0%	--	80.0%	50.0%	0.0%	100.0%	--
	Arcala, A	0.0%	--	--	--	--	--	0.0%	--



## NQF - Medication Measures

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA Lumberton	Foster	99.4%	100.0%	--	63.2%	33.3%	4.4%	100.0%	50.0%
	Halbert	0.0%	--	--	--	100.0%	100.0%	0.0%	--
	Holly	96.2%	50.0%	--	59.1%	22.2%	4.4%	98.8%	25.0%
	Le	92.7%	89.7%	--	85.2%	48.2%	19.9%	99.7%	20.0%
	Leifeste	98.6%	82.7%	--	77.9%	17.8%	4.7%	98.0%	57.9%
	Read	94.5%	90.5%	--	70.2%	28.6%	8.9%	97.7%	64.4%
	Thomas	100.0%	--	--	--	--	--	100.0%	--
<b>SETMA Lumberton Totals:</b>		96.1%	87.8%	--	74.5%	24.3%	7.3%	98.0%	58.5%
SETMA Mid County	Castro	94.6%	88.9%	--	82.0%	31.5%	13.2%	99.7%	43.9%
	Cricchio, M	97.0%	86.4%	--	84.1%	32.2%	14.2%	100.0%	55.6%
	George	77.0%	90.0%	18.2%	86.0%	30.3%	5.8%	99.2%	61.4%
	Shepherd	96.3%	73.1%	--	85.3%	23.5%	6.0%	100.0%	50.0%
	Thomas	88.8%	91.2%	--	82.4%	34.6%	10.8%	100.0%	43.3%
<b>SETMA Mid County Totals:</b>		92.3%	86.0%	18.2%	83.8%	29.4%	9.8%	99.8%	48.5%
SETMA Orange	Anwar	100.0%	--	--	61.5%	37.5%	8.3%	100.0%	--
	Arcala, A	100.0%	--	--	100.0%	0.0%	0.0%	100.0%	--
	Aziz	100.0%	--	--	--	--	--	100.0%	--
	Castro	86.8%	100.0%	--	90.0%	36.3%	13.7%	99.5%	33.3%
	Cox	96.9%	70.3%	--	84.6%	33.5%	11.7%	100.0%	31.0%
	Green	96.7%	71.7%	50.0%	81.5%	41.3%	17.9%	99.5%	37.8%
	Le	89.5%	--	--	50.0%	25.0%	12.5%	100.0%	--
	Shepherd	96.9%	100.0%	--	80.9%	23.7%	7.2%	100.0%	44.4%
<b>SETMA Orange Totals:</b>		96.5%	71.7%	50.0%	83.2%	35.8%	13.6%	99.8%	33.5%
SETMA PA	Arcala, A	97.9%	100.0%	--	63.6%	19.8%	7.5%	100.0%	0.0%



## NQF - Medication Measures

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2014 through Dec 31, 2014

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA PA	Arcala, F	99.0%	80.0%	--	71.0%	24.3%	8.9%	100.0%	75.0%
	Castro	100.0%	100.0%	--	--	--	--	100.0%	--
	Cricchio, M	96.5%	--	--	0.0%	11.5%	0.0%	100.0%	100.0%
	Shepherd	100.0%	--	--	--	0.0%	0.0%	100.0%	--
<b>SETMA PA Totals:</b>		98.5%	87.5%	--	68.0%	22.3%	8.1%	100.0%	44.4%
SETMA West	Cricchio, M	100.0%	--	--	--	--	--	100.0%	--
	Darden	94.8%	81.5%	--	74.5%	30.5%	10.6%	99.9%	46.2%
	Deiparine, C	91.4%	69.3%	--	82.6%	26.7%	6.9%	98.8%	50.0%
	Halbert	70.4%	78.4%	--	75.1%	26.3%	8.8%	98.1%	49.7%
	Horn	94.0%	69.0%	66.7%	82.5%	24.8%	6.0%	99.1%	43.4%
	Qureshi	95.2%	82.4%	25.0%	70.3%	29.1%	13.8%	99.5%	49.3%
<b>SETMA West Totals:</b>		88.0%	75.7%	36.4%	76.7%	27.0%	8.8%	99.0%	48.0%
<b>SETMA Totals:</b>		88.4%	82.0%	25.5%	78.6%	28.5%	10.0%	98.7%	50.4%

Documentation of Allergies/Reactions - Percentage of patients having documentation of allergies and adverse reactions in their medical record.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

LDL Drug Therapy - Percentage of patients with CAD who were prescribed a lipid-lowering therapy.

Current Medication List - Percentage of patients having a medication list on their medical record.

Warfarin Therapy for Patients with Atrial Fibrillation - Percentage of patients with atrial fibrillation who were perscribed warfarin therapy.