



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

| Location | Provider | Antidepressant Medication Management | | Cholesterol Management for Patients with Cardiovascular Conditions | | Pharmacotherapy Management of Acute COPD Exacerbation | |
|------------------------|-------------|---|--|--|----------------|---|--|
| | | Dispensed >= 84 days of antidepressant Medication | Dispensed >= 180 Days of Antidepressant Medication | LDL Screening Within 12 Months | LDL Controlled | Dispensed Systemic Corticosteroid Within 14 Days | Dispensed Broncho-dilator Within 30 Days |
| SETMA 1 | Aziz | 3.1% | 0.0% | 96.4% | 83.8% | 9.6% | 1.5% |
| | Duncan | 11.8% | 11.8% | 86.3% | 84.2% | 33.3% | 6.3% |
| | Henderson | 10.4% | 6.2% | 92.7% | 88.4% | 31.6% | 12.3% |
| | Holly | 0.0% | 0.0% | 89.1% | 90.9% | 15.4% | 0.0% |
| | Le | 13.3% | 13.3% | 91.4% | 77.9% | 24.3% | 5.4% |
| | Murphy | 0.0% | 0.0% | 92.1% | 87.6% | 29.4% | 3.9% |
| | Palang | 20.0% | 13.3% | 87.7% | 84.0% | 18.1% | 10.7% |
| | Thomas | 0.0% | 0.0% | 50.0% | 80.0% | 0.0% | 0.0% |
| SETMA 1 Totals: | | 10.1% | 8.0% | 91.1% | 85.4% | 22.5% | 6.7% |
| SETMA 2 | Akhter | 0.0% | 0.0% | 92.5% | 79.6% | 25.0% | 0.0% |
| | Anthony | 9.5% | 7.9% | 96.6% | 84.2% | 10.1% | 2.0% |
| | Anwar | 12.7% | 9.5% | 97.0% | 85.8% | 18.7% | 5.6% |
| | Cash | 2.7% | 2.7% | 85.1% | 84.1% | 15.0% | 0.0% |
| | Colbert | -- | -- | -- | -- | -- | -- |
| | Cricchio, M | 0.0% | 0.0% | 39.4% | 42.4% | 0.0% | 0.0% |
| | Holly | -- | -- | -- | -- | -- | -- |
| | Kansara | 9.7% | 6.5% | 89.7% | 76.1% | 18.3% | 2.0% |
| | Khan | -- | -- | -- | -- | -- | -- |
| | Smith | 8.7% | 8.7% | 76.6% | 67.2% | 14.3% | 0.0% |
| | Wheeler | 3.6% | 3.6% | 92.9% | 71.4% | 21.2% | 3.8% |
| SETMA 2 Totals: | | 7.1% | 5.8% | 89.8% | 79.9% | 16.3% | 2.7% |
| SETMA Lumberton | Anwar | 0.0% | 0.0% | 100.0% | 80.0% | -- | -- |
| | Dao | 5.9% | 4.4% | 91.0% | 83.2% | 32.6% | 3.5% |
| | Elliott | 6.2% | 6.2% | 91.4% | 71.4% | 16.7% | 0.0% |



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

| Location | Provider | Antidepressant Medication Management | | Cholesterol Management for Patients with Cardiovascular Conditions | | Pharmacotherapy Management of Acute COPD Exacerbation | |
|---------------------------------|-------------|---|--|--|----------------|---|--|
| | | Dispensed >= 84 days of antidepressant Medication | Dispensed >= 180 Days of Antidepressant Medication | LDL Screening Within 12 Months | LDL Controlled | Dispensed Systemic Corticosteroid Within 14 Days | Dispensed Broncho-dilator Within 30 Days |
| SETMA Lumberton | Foster | 2.3% | 2.3% | 81.2% | 76.1% | 17.5% | 2.5% |
| | Holly | -- | -- | 100.0% | 50.0% | -- | -- |
| | Le | 0.0% | 0.0% | 100.0% | 80.0% | 25.0% | 0.0% |
| | Minsloff | -- | -- | -- | -- | -- | -- |
| | Read | 17.6% | 17.6% | 89.9% | 83.8% | 19.2% | 9.6% |
| SETMA Lumberton Totals: | | 5.2% | 4.6% | 88.8% | 80.2% | 25.0% | 4.8% |
| SETMA Mid County | Arcala, A | 0.0% | 0.0% | 71.4% | 78.6% | 12.5% | 0.0% |
| | Arcala, F | 0.0% | 0.0% | 96.0% | 88.0% | 18.2% | 0.0% |
| | Castro | 7.4% | 6.2% | 95.4% | 86.2% | 14.8% | 5.5% |
| | Cricchio, M | 4.4% | 4.4% | 83.9% | 76.2% | 17.6% | 9.9% |
| | George | 0.0% | 0.0% | 53.3% | 68.0% | 24.3% | 0.0% |
| | Shepherd | 4.3% | 2.9% | 95.0% | 90.8% | 19.7% | 3.1% |
| | Thomas | 20.0% | 14.3% | 89.3% | 79.2% | 17.8% | 1.4% |
| SETMA Mid County Totals: | | 7.1% | 5.5% | 88.5% | 83.1% | 17.5% | 4.4% |
| SETMA Orange | Castro | 14.3% | 14.3% | 100.0% | 90.0% | 25.0% | 0.0% |
| | Cox | 5.9% | 0.0% | 74.4% | 74.9% | 18.5% | 5.6% |
| | Green | 7.5% | 1.9% | 68.1% | 66.5% | 30.4% | 4.3% |
| | McClure | -- | -- | -- | -- | -- | -- |
| | Read | -- | -- | 55.6% | 66.7% | 100.0% | 0.0% |
| | Shepherd | 0.0% | 0.0% | 84.2% | 100.0% | 33.3% | 0.0% |
| SETMA Orange Totals: | | 7.5% | 2.3% | 72.6% | 72.8% | 27.1% | 3.9% |
| SETMA PA | Arcala, A | 0.0% | 0.0% | 76.2% | 71.4% | 12.9% | 9.7% |
| | Arcala, F | 0.0% | 0.0% | 93.0% | 73.3% | 11.5% | 6.2% |
| | Castro | -- | -- | -- | -- | -- | -- |



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2015 through Dec 31, 2015

| Location | Provider | Antidepressant Medication Management | | Cholesterol Management for Patients with Cardiovascular Conditions | | Pharmacotherapy Management of Acute COPD Exacerbation | |
|---------------------------|--------------|---|--|--|----------------|---|--|
| | | Dispensed >= 84 days of antidepressant Medication | Dispensed >= 180 Days of Antidepressant Medication | LDL Screening Within 12 Months | LDL Controlled | Dispensed Systemic Corticosteroid Within 14 Days | Dispensed Broncho-dilator Within 30 Days |
| SETMA PA | Shepherd | -- | -- | -- | -- | -- | -- |
| SETMA PA Totals: | | 0.0% | 0.0% | 89.7% | 72.9% | 11.8% | 7.1% |
| SETMA West | Darden | 9.9% | 6.6% | 81.9% | 79.2% | 22.4% | 12.9% |
| | Deiparine, C | 7.0% | 7.0% | 86.5% | 82.0% | 18.4% | 5.3% |
| | Halbert | 9.2% | 7.5% | 81.1% | 78.6% | 24.8% | 6.9% |
| | Horn | 7.1% | 4.9% | 86.5% | 77.6% | 28.6% | 12.9% |
| | Khan | 0.0% | 0.0% | 79.5% | 77.3% | 3.0% | 0.0% |
| | Qureshi | 0.0% | 0.0% | 80.4% | 72.8% | 38.8% | 16.2% |
| SETMA West Totals: | | 6.8% | 5.1% | 82.6% | 78.1% | 25.3% | 10.3% |
| SETMA Totals: | | 7.2% | 5.4% | 87.4% | 80.9% | 20.7% | 5.7% |

Antidepressant Medication Management - Patients 18 years of age and older who were diagnosed with a new episode of major depression, treated with antidepressant medication, and who remained on an antidepressant medication treatment. Two rates are reported: Acute Phase Treatment (84 days) and Continuation Phase Treatment (180 days).

Cholesterol Management for Patients with Cardiovascular Conditions - Patients 18 to 75 years of age with cardiovascular disease who were (1) screened for LDL cholesterol within the last 12 months and (2) whose LDL cholesterol is adequately controlled (<130 mg/dL).

Pharmacotherapy Management of Acute COPD Exacerbation - Patients 40 years or age and older who were diagnosed with acute COPD exacerbation and were (1) dispensed a systemic corticosteroid within 14 days of the event and (2) dispensed a bronchodilator within 30 days of the event.