



## HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	Appropriate Testing for Children with Pharyngitis	Appropriate Treatment for Children with Upper Respiratory Infection
SETMA 1	Aziz	--	100.0%	--
	Cash	--	--	--
	Duncan	50.0%	83.3%	0.0%
	Henderson	0.0%	30.4%	25.0%
	Holly	--	100.0%	--
	Le	--	43.8%	100.0%
	Murphy	0.0%	--	--
	Palang	16.7%	--	--
	Thomas	--	--	--
<b>SETMA 1 Totals:</b>		20.0%	44.7%	68.2%
SETMA 2	Akhter	0.0%	--	--
	Anthony	0.0%	45.5%	37.9%
	Anwar	--	--	--
	Cash	0.0%	--	--
	Colbert	--	53.2%	72.1%
	Kansara	--	--	--
	Lampkin	--	--	--
	Smith	--	57.7%	6.2%
	Wheeler	100.0%	72.9%	36.7%
<b>SETMA 2 Totals:</b>		16.7%	60.1%	46.2%
SETMA Lumberton	Dao	100.0%	63.2%	81.8%
	Elliott	--	0.0%	100.0%
	Foster	16.7%	25.0%	2.7%
	Minsloff	--	81.1%	87.6%
	Read	--	14.3%	--
<b>SETMA Lumberton Totals:</b>		33.3%	69.3%	77.2%



## HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	Appropriate Testing for Children with Pharyngitis	Appropriate Treatment for Children with Upper Respiratory Infection
SETMA Mid County	Akhter	--	--	--
	Arcala, A	50.0%	100.0%	100.0%
	Castro	46.7%	--	100.0%
	Cox	--	--	--
	Cricchio, M	66.7%	0.0%	--
	Feldschau	12.5%	33.3%	--
	George	0.0%	--	--
	Green	--	100.0%	--
	Henderson	--	--	--
	Le	--	--	--
	Ramirez	14.3%	--	0.0%
	Read	--	--	--
	Shepherd	0.0%	0.0%	--
	Thomas	--	--	--
<b>SETMA Mid County Totals:</b>		25.5%	42.9%	66.7%
SETMA Orange	Castro	50.0%	--	--
	Cox	0.0%	50.0%	15.0%
	Green	0.0%	71.4%	27.8%
	Read	--	50.0%	--
	Shepherd	--	--	--
<b>SETMA Orange Totals:</b>		11.1%	63.6%	21.1%
SETMA PA	Arcala, A	--	--	--
<b>SETMA PA Totals:</b>		--	--	--
SETMA West	Darden	0.0%	80.0%	--
	Deiparine, C	--	--	--
	Foster	--	--	--



## HEDIS - Effectiveness of Acute Care

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	Appropriate Testing for Children with Pharyngitis	Appropriate Treatment for Children with Upper Respiratory Infection
SETMA West	Halbert	100.0%	0.0%	0.0%
	Horn	33.3%	58.8%	9.1%
	Khan	--	--	--
	Murphy	--	--	--
	Qureshi	0.0%	--	--
<b>SETMA West Totals:</b>		20.0%	60.9%	6.2%
<b>SETMA Totals:</b>		23.7%	63.9%	60.3%

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

Appropriate Testing for Children with Pharyngitis - Patients 2 to 18 years of age who were diagnosed with Pharyngitis and given an antibiotic and a strep test for the episode.

Appropriate Treatment for Children with Upper Respiratory Infection - Patients 3 months to 18 years of age who were diagnosed with upper respiratory infection and not prescribed an antibiotic.