



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

| Location | Provider | Antidepressant Medication Management | | Cholesterol Management for Patients with Cardiovascular Conditions | | Pharmacotherapy Management of Acute COPD Exacerbation | |
|------------------------|-----------|---|--|--|----------------|---|--|
| | | Dispensed >= 84 days of antidepressant Medication | Dispensed >= 180 Days of Antidepressant Medication | LDL Screening Within 12 Months | LDL Controlled | Dispensed Systemic Corticosteroid Within 14 Days | Dispensed Broncho-dilator Within 30 Days |
| SETMA 1 | Aziz | 6.3% | 1.8% | 95.4% | 84.4% | 21.9% | 3.7% |
| | Cash | -- | -- | -- | -- | -- | -- |
| | Duncan | 4.5% | 3.0% | 86.3% | 85.3% | 43.9% | 6.8% |
| | Henderson | 8.3% | 6.5% | 92.4% | 81.4% | 33.8% | 5.0% |
| | Holly | 0.0% | 0.0% | 98.7% | 88.2% | 8.3% | 0.0% |
| | Le | 3.6% | 2.7% | 86.1% | 75.8% | 30.9% | 4.5% |
| | Murphy | 7.4% | 5.7% | 94.5% | 89.1% | 20.5% | 3.2% |
| | Palang | 14.0% | 11.0% | 86.9% | 85.9% | 25.4% | 5.7% |
| | Thomas | 0.0% | 0.0% | 81.2% | 75.0% | 0.0% | 0.0% |
| SETMA 1 Totals: | | 6.9% | 4.9% | 91.4% | 84.5% | 27.7% | 4.6% |
| SETMA 2 | Akhter | 10.3% | 9.3% | 92.9% | 83.3% | 37.2% | 0.0% |
| | Anthony | 3.2% | 3.2% | 99.2% | 89.3% | 20.8% | 3.6% |
| | Anwar | 8.8% | 8.8% | 95.7% | 81.8% | 16.2% | 6.9% |
| | Cash | 2.5% | 2.5% | 88.1% | 83.0% | 12.5% | 0.0% |
| | Colbert | 25.0% | 25.0% | -- | -- | -- | -- |
| | Kansara | 12.2% | 7.3% | 95.6% | 85.4% | 23.6% | 1.4% |
| | Lampkin | -- | -- | 50.0% | 100.0% | -- | -- |
| | Smith | 3.6% | 1.8% | 75.8% | 70.9% | 38.5% | 10.3% |
| | Wheeler | 5.1% | 5.1% | 92.2% | 73.9% | 35.5% | 4.5% |
| SETMA 2 Totals: | | 6.4% | 5.9% | 92.1% | 81.8% | 24.1% | 3.4% |
| SETMA Lumberton | Dao | 5.6% | 4.3% | 90.6% | 71.2% | 62.4% | 2.4% |
| | Elliott | 22.4% | 20.0% | 78.0% | 73.8% | 24.6% | 9.8% |
| | Foster | 5.7% | 4.6% | 78.0% | 76.1% | 26.2% | 3.3% |
| | Minsloff | 0.0% | 0.0% | -- | -- | -- | -- |



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

| Location | Provider | Antidepressant Medication Management | | Cholesterol Management for Patients with Cardiovascular Conditions | | Pharmacotherapy Management of Acute COPD Exacerbation | |
|---------------------------------|-------------|---|--|--|----------------|---|--|
| | | Dispensed >= 84 days of antidepressant Medication | Dispensed >= 180 Days of Antidepressant Medication | LDL Screening Within 12 Months | LDL Controlled | Dispensed Systemic Corticosteroid Within 14 Days | Dispensed Broncho-dilator Within 30 Days |
| SETMA Lumberton | Read | 4.3% | 2.9% | 94.0% | 77.6% | 17.9% | 0.0% |
| SETMA Lumberton Totals: | | 8.8% | 7.3% | 83.7% | 74.7% | 35.7% | 3.8% |
| SETMA Mid County | Akhter | -- | -- | -- | -- | -- | -- |
| | Arcala, A | 3.9% | 2.6% | 90.4% | 69.2% | 19.5% | 2.6% |
| | Castro | 11.5% | 9.7% | 99.5% | 81.3% | 33.6% | 10.1% |
| | Cox | -- | -- | 100.0% | 100.0% | -- | -- |
| | Cricchio, M | 4.8% | 4.0% | 89.4% | 85.6% | 23.3% | 5.0% |
| | Feldschau | 0.0% | 0.0% | 94.9% | 78.5% | 39.1% | 11.8% |
| | George | 7.5% | 5.7% | 72.0% | 66.7% | 15.4% | 7.7% |
| | Green | -- | -- | -- | -- | -- | -- |
| | Henderson | -- | -- | -- | -- | -- | -- |
| | Le | 20.0% | 20.0% | 50.0% | 75.0% | 50.0% | 0.0% |
| | Ramirez | 12.5% | 12.5% | 86.4% | 81.8% | 46.4% | 0.0% |
| | Read | -- | -- | -- | -- | -- | -- |
| | Shepherd | 6.2% | 4.8% | 97.8% | 88.6% | 29.3% | 4.9% |
| | Thomas | 9.7% | 6.2% | 82.5% | 84.9% | 14.7% | 2.7% |
| SETMA Mid County Totals: | | 7.3% | 5.8% | 91.3% | 82.2% | 26.3% | 6.0% |
| SETMA Orange | Castro | 10.0% | 10.0% | 100.0% | 87.5% | 26.7% | 6.7% |
| | Cox | 19.2% | 11.5% | 77.0% | 80.9% | 19.7% | 14.1% |
| | Green | 2.5% | 2.1% | 66.5% | 83.7% | 34.2% | 3.2% |
| | Read | 25.0% | 25.0% | 71.9% | 78.9% | 56.5% | 4.3% |
| | Shepherd | 14.3% | 14.3% | 100.0% | 94.7% | 50.0% | 0.0% |
| SETMA Orange Totals: | | 8.2% | 6.3% | 74.8% | 82.8% | 34.0% | 5.9% |
| SETMA PA | Arcala, A | -- | -- | -- | -- | 0.0% | 0.0% |



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

| Location | Provider | Antidepressant Medication Management | | Cholesterol Management for Patients with Cardiovascular Conditions | | Pharmacotherapy Management of Acute COPD Exacerbation | |
|---------------------------|--------------|---|--|--|----------------|---|--|
| | | Dispensed >= 84 days of antidepressant Medication | Dispensed >= 180 Days of Antidepressant Medication | LDL Screening Within 12 Months | LDL Controlled | Dispensed Systemic Corticosteroid Within 14 Days | Dispensed Broncho-dilator Within 30 Days |
| SETMA PA Totals: | | -- | -- | -- | -- | 0.0% | 0.0% |
| SETMA West | Darden | 4.6% | 3.0% | 84.7% | 79.3% | 30.0% | 5.7% |
| | Deiparine, C | 3.3% | 3.3% | 93.0% | 86.5% | 29.3% | 5.3% |
| | Foster | -- | -- | -- | -- | -- | -- |
| | Halbert | 4.5% | 3.4% | 87.9% | 79.6% | 27.6% | 7.9% |
| | Horn | 4.5% | 2.9% | 91.7% | 78.8% | 21.6% | 3.1% |
| | Khan | 0.9% | 0.0% | 91.3% | 84.3% | 20.3% | 10.2% |
| | Murphy | -- | -- | -- | -- | -- | -- |
| | Qureshi | 2.4% | 0.8% | 82.6% | 76.4% | 45.5% | 3.4% |
| SETMA West Totals: | | 4.0% | 2.7% | 88.3% | 80.3% | 27.7% | 5.6% |
| SETMA Totals: | | 6.4% | 5.0% | 88.9% | 81.7% | 27.7% | 4.8% |

Antidepressant Medication Management - Patients 18 years of age and older who were diagnosed with a new episode of major depression, treated with antidepressant medication, and who remained on an antidepressant medication treatment. Two rates are reported: Acute Phase Treatment (84 days) and Continuation Phase Treatment (180 days).

Cholesterol Management for Patients with Cardiovascular Conditions - Patients 18 to 75 years of age with cardiovascular disease who were (1) screened for LDL cholesterol within the last 12 months and (2) whose LDL cholesterol is adequately controlled (<130 mg/dL).

Pharmacotherapy Management of Acute COPD Exacerbation - Patients 40 years or age and older who were diagnosed with acute COPD exacerbation and were (1) dispensed a systemic corticosteroid within 14 days of the event and (2) dispensed a bronchodilator within 30 days of the event.