



## HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Annual Monitoring for Patients on								
Location	Provider	Digoxin	Diuretics	ACE or ARB	Pheno-barbital	Carba-mazepine	Phenytoin	Valproic
SETMA 1	Aziz	100.0%	98.4%	98.5%	72.7%	90.0%	58.3%	63.6%
	Cash	--	100.0%	100.0%	--	--	--	--
	Duncan	95.8%	90.7%	90.8%	60.0%	42.1%	41.4%	32.0%
	Henderson	97.8%	95.2%	95.8%	84.2%	35.0%	83.9%	47.1%
	Holly	100.0%	96.1%	95.9%	100.0%	0.0%	50.0%	25.0%
	Le	86.1%	93.0%	92.8%	50.0%	21.1%	53.3%	0.0%
	Murphy	100.0%	97.1%	97.3%	100.0%	16.7%	77.1%	29.1%
	Palang	98.6%	93.6%	93.9%	53.3%	72.4%	57.6%	53.7%
Thomas	100.0%	95.8%	97.9%	100.0%	0.0%	66.7%	100.0%	
<b>SETMA 1 Totals:</b>		97.0%	94.8%	95.1%	77.0%	42.3%	65.2%	41.4%
SETMA 2	Akhter	82.9%	95.9%	95.9%	--	0.0%	50.0%	73.3%
	Anthony	91.2%	98.3%	98.7%	100.0%	85.7%	100.0%	68.8%
	Anwar	100.0%	98.6%	98.5%	0.0%	16.7%	50.0%	25.0%
	Cash	87.0%	94.0%	94.0%	0.0%	--	75.0%	70.8%
	Colbert	--	25.0%	50.0%	--	--	--	--
	Kansara	96.2%	95.5%	95.5%	40.0%	27.3%	62.5%	10.0%
	Lampkin	--	100.0%	100.0%	--	--	--	0.0%
	Smith	100.0%	98.3%	98.1%	75.0%	50.0%	84.6%	23.1%
Wheeler	100.0%	95.4%	95.8%	100.0%	100.0%	83.3%	35.7%	
<b>SETMA 2 Totals:</b>		94.6%	96.5%	96.5%	52.4%	36.4%	67.0%	50.0%
SETMA Lumberton	Dao	96.7%	91.7%	92.9%	--	0.0%	57.1%	10.0%
	Elliott	86.5%	82.4%	82.4%	0.0%	0.0%	57.7%	0.0%
	Foster	100.0%	89.1%	88.3%	--	21.4%	60.9%	38.5%
	Minsloff	--	--	--	--	--	--	0.0%
Read	100.0%	90.6%	89.6%	--	33.3%	16.7%	10.0%	
<b>SETMA Lumberton Totals:</b>		94.1%	88.1%	87.9%	0.0%	13.3%	54.8%	9.1%



## HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

Location	Provider	Annual Monitoring for Patients on						
		Digoxin	Diuretics	ACE or ARB	Pheno-barbital	Carba-mazepine	Phenytoin	Valproic
SETMA Mid County	Akhter	--	100.0%	100.0%	--	--	--	--
	Arcala, A	88.9%	88.6%	89.0%	100.0%	80.0%	75.0%	50.0%
	Castro	98.0%	97.3%	97.4%	--	100.0%	52.9%	41.9%
	Cox	--	--	--	--	--	--	--
	Cricchio, M	93.3%	93.9%	93.6%	--	66.7%	52.9%	50.0%
	Feldschau	96.3%	93.6%	93.8%	100.0%	6.7%	78.6%	27.3%
	George	86.2%	75.1%	72.4%	81.8%	0.0%	84.6%	83.3%
	Green	--	--	--	--	--	--	--
	Henderson	--	100.0%	--	--	--	--	--
	Le	100.0%	93.5%	94.4%	--	100.0%	100.0%	--
	Ramirez	--	91.7%	91.3%	--	0.0%	100.0%	66.7%
	Read	--	100.0%	100.0%	--	--	--	--
	Shepherd	100.0%	97.7%	98.0%	0.0%	11.1%	77.8%	32.3%
Thomas	96.0%	90.5%	91.7%	75.0%	36.8%	67.7%	52.2%	
<b>SETMA Mid County Totals:</b>		95.1%	92.9%	92.9%	68.2%	33.8%	69.6%	44.5%
SETMA Orange	Castro	100.0%	98.0%	98.1%	--	--	100.0%	88.9%
	Cox	79.4%	82.5%	82.9%	100.0%	60.0%	66.7%	35.0%
	Green	84.7%	76.8%	76.3%	87.5%	54.5%	66.7%	68.4%
	Read	100.0%	83.4%	84.9%	100.0%	0.0%	71.4%	40.0%
	Shepherd	100.0%	97.8%	98.4%	--	--	--	100.0%
<b>SETMA Orange Totals:</b>		86.0%	81.6%	82.0%	90.0%	50.0%	70.5%	59.5%
SETMA PA	Arcala, A	0.0%	0.0%	0.0%	--	--	--	--
<b>SETMA PA Totals:</b>		0.0%	0.0%	0.0%	--	--	--	--
SETMA West	Darden	89.7%	89.8%	90.1%	80.0%	40.0%	40.0%	33.3%
	Deiparine, C	88.9%	91.1%	91.9%	68.4%	25.0%	58.3%	65.6%
	Foster	--	--	--	--	--	--	--



## HEDIS - Effectiveness of Chronic Care - Persistent Medications (MPM)

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2016 through Dec 31, 2016

		Annual Monitoring for Patients on						
Location	Provider	Digoxin	Diuretics	ACE or ARB	Pheno-barbital	Carba-mazepine	Phenytoin	Valproic
SETMA West	Halbert	93.0%	85.3%	85.2%	36.4%	16.7%	53.3%	40.0%
	Horn	97.3%	93.6%	94.3%	66.7%	16.7%	50.0%	35.1%
	Khan	100.0%	89.0%	90.4%	28.6%	15.0%	58.3%	28.1%
	Murphy	--	100.0%	100.0%	--	--	--	--
	Qureshi	87.2%	94.4%	95.5%	62.5%	30.8%	34.1%	41.9%
<b>SETMA West Totals:</b>		92.2%	90.3%	90.9%	57.4%	25.0%	45.9%	45.4%
<b>SETMA Totals:</b>		93.7%	92.1%	92.5%	67.8%	34.2%	62.7%	42.0%

**Annual Monitoring for Patients on Persistent Medications**

Patients with an active prescription of digoxin should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly.  
 Patients with an active prescription of a diuretic should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly.  
 Patients with an active prescription of an ACE or ARB should have a serum potassium and a serum creatinine test or a serum potassium and a blood urea nitrogen test at least yearly.  
 Patients with an active prescription for an anticonvulsant should have a corresponding drug level checked at least yearly.