



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Antidepressant Medication Management		Cholesterol Management for Patients with Cardiovascular Conditions		Pharmacotherapy Management of Acute COPD Exacerbation	
		Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corticosteroid Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA 1	Aziz	4.5%	4.5%	94.4%	85.2%	20.7%	2.5%
	Duncan	2.0%	2.0%	93.5%	86.1%	25.8%	3.2%
	Henderson	5.0%	5.0%	97.9%	88.7%	41.5%	0.0%
	Holly	5.6%	5.6%	95.0%	90.0%	0.0%	0.0%
	Le	11.1%	11.1%	73.9%	76.8%	31.9%	2.2%
	Murphy	7.0%	7.0%	95.9%	87.0%	31.3%	5.1%
	Palang	9.8%	9.8%	88.2%	87.1%	26.3%	5.3%
	Thomas	0.0%	0.0%	70.0%	50.0%	20.0%	0.0%
SETMA 1 Totals:		5.6%	5.6%	91.6%	85.2%	28.1%	3.2%
SETMA 2	Akhter	2.2%	2.2%	92.2%	80.6%	20.0%	4.0%
	Anthony	0.0%	0.0%	98.7%	79.7%	0.0%	14.3%
	Anwar	5.7%	5.7%	93.1%	83.2%	15.8%	2.6%
	Colbert	--	--	--	--	--	--
	Duncan	--	--	--	--	--	--
	Kansara	0.0%	0.0%	92.6%	74.1%	19.2%	1.4%
	Le	--	--	--	--	--	--
	Smith	4.8%	4.8%	89.8%	83.0%	42.9%	2.9%
	Wheeler	6.6%	6.6%	92.9%	75.0%	38.2%	5.9%
SETMA 2 Totals:		4.0%	4.0%	93.1%	80.1%	25.0%	3.3%
SETMA Lumberton	Castro	12.5%	12.5%	66.7%	66.7%	33.3%	33.3%
	Colbert	--	--	--	--	--	--
	Foster	6.5%	6.5%	91.7%	90.3%	24.1%	3.4%
	Holly	0.0%	0.0%	100.0%	87.5%	0.0%	0.0%
	Horn	0.0%	0.0%	--	--	0.0%	0.0%



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Antidepressant Medication Management		Cholesterol Management for Patients with Cardiovascular Conditions		Pharmacotherapy Management of Acute COPD Exacerbation	
		Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corticosteroid Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA Lumberton	Kansara	--	--	100.0%	100.0%	40.0%	0.0%
	Khan	0.0%	0.0%	100.0%	100.0%	--	--
	Qureshi	0.0%	0.0%	100.0%	100.0%	--	--
	Ramirez	4.3%	4.3%	75.0%	91.7%	46.7%	0.0%
SETMA Lumberton Totals:		5.8%	5.8%	90.3%	90.3%	30.4%	3.6%
SETMA Mid County	Castro	6.5%	6.5%	94.9%	83.1%	31.4%	11.4%
	Feldschau	1.9%	1.9%	92.2%	92.2%	28.3%	15.2%
	George	4.8%	4.8%	65.0%	65.0%	36.4%	0.0%
	Halbert	--	--	--	--	--	--
	Ramirez	0.0%	0.0%	93.3%	83.3%	35.6%	1.7%
	Shepherd	5.4%	5.4%	98.5%	85.1%	29.4%	0.0%
	Thomas	4.3%	4.3%	88.6%	91.4%	25.0%	6.2%
SETMA Mid County Totals:		4.0%	4.0%	92.0%	85.1%	29.6%	9.3%
SETMA Orange	Castro	20.0%	20.0%	100.0%	100.0%	50.0%	0.0%
	Cox	0.0%	0.0%	74.4%	73.3%	24.4%	11.1%
	Green	0.0%	0.0%	78.4%	85.1%	33.3%	3.0%
	Kansara	--	--	--	--	--	--
	Shepherd	0.0%	0.0%	100.0%	100.0%	100.0%	0.0%
SETMA Orange Totals:		3.2%	3.2%	78.4%	80.7%	30.7%	6.1%
SETMA West	Darden	5.7%	5.7%	77.1%	72.9%	38.1%	4.8%
	Deiparine, C	7.3%	7.3%	83.8%	81.1%	39.4%	3.0%
	Halbert	1.3%	1.3%	87.2%	79.2%	22.6%	2.8%
	Horn	2.7%	2.7%	97.8%	79.3%	24.6%	0.0%
	Khan	0.0%	0.0%	93.3%	86.7%	26.3%	0.0%



HEDIS - Effectiveness of Chronic Care - Clinic / Hospital

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Antidepressant Medication Management		Cholesterol Management for Patients with Cardiovascular Conditions		Pharmacotherapy Management of Acute COPD Exacerbation	
		Dispensed >= 84 days of antidepressant Medication	Dispensed >= 180 Days of Antidepressant Medication	LDL Screening Within 12 Months	LDL Controlled	Dispensed Systemic Corticosteroid Within 14 Days	Dispensed Broncho-dilator Within 30 Days
SETMA West	Qureshi	0.0%	0.0%	94.3%	84.9%	29.2%	4.2%
SETMA West Totals:		2.7%	2.7%	88.5%	79.7%	27.2%	2.2%
SETMA Totals:		4.1%	4.1%	90.2%	82.6%	28.1%	4.6%

Antidepressant Medication Management - Patients 18 years of age and older who were diagnosed with a new episode of major depression, treated with antidepressant medication, and who remained on an antidepressant medication treatment. Two rates are reported: Acute Phase Treatment (84 days) and Continuation Phase Treatment (180 days).

Cholesterol Management for Patients with Cardiovascular Conditions - Patients 18 to 75 years of age with cardiovascular disease who were (1) screened for LDL cholesterol within the last 12 months and (2) whose LDL cholesterol is adequately controlled (<130 mg/dL).

Pharmacotherapy Management of Acute COPD Exacerbation - Patients 40 years or age and older who were diagnosed with acute COPD exacerbation and were (1) dispensed a systemic corticosteroid within 14 days of the event and (2) dispensed a bronchodilator within 30 days of the event.