



## HEDIS - Effectiveness of Chronic Care - Clinic Only

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

Location	Provider	Children Prescribed ADHD Meds		Drug Therapy	Appro. Meds.	Controlling High Blood Pressure				Osteoporosis Mgmt	Spirometry Testing for COPD
		One Follow-up within 30 Days	Two Follow-ups within 30 and 270 days	for Rheumatoid Arthritis	for People with Asthma	< 130 / 80	< 140 / 80	< 140 / 90	Not Controlled		
SETMA 1	Aziz	--	--	43.7%	80.0%	29.9%	41.0%	59.0%	35.1%	3.7%	41.0%
	Duncan	--	--	53.3%	93.4%	42.1%	49.5%	83.1%	13.8%	31.6%	26.0%
	Halbert	--	--	100.0%	--	60.0%	100.0%	100.0%	0.0%	--	--
	Henderson	--	--	59.6%	87.4%	20.4%	27.8%	54.6%	32.9%	17.9%	27.6%
	Holly	--	--	50.0%	50.0%	61.9%	83.2%	93.5%	6.5%	0.0%	66.7%
	Le	75.0%	0.0%	31.6%	93.0%	34.5%	44.3%	62.1%	28.2%	7.1%	38.6%
	Murphy	--	--	57.8%	87.2%	21.2%	37.4%	79.4%	10.9%	0.0%	17.4%
	Palang	--	--	53.3%	94.3%	39.5%	54.1%	72.5%	21.5%	15.8%	30.6%
	Qureshi	--	--	--	--	33.3%	33.3%	83.3%	0.0%	0.0%	0.0%
	Ramirez	--	--	--	--	0.0%	0.0%	50.0%	25.0%	--	0.0%
	Smith	--	--	66.7%	--	36.8%	42.1%	63.2%	31.6%	--	50.0%
Thomas	--	--	37.5%	66.7%	12.5%	20.3%	53.1%	32.8%	0.0%	47.4%	
<b>SETMA 1 Totals:</b>		75.0%	0.0%	48.9%	89.4%	31.2%	43.0%	70.4%	21.9%	12.7%	30.5%
SETMA 2	Akhter	--	--	58.3%	73.1%	31.9%	42.8%	74.0%	20.3%	16.7%	20.3%
	Anthony	44.4%	0.0%	61.7%	68.4%	32.1%	43.4%	76.5%	19.0%	6.7%	18.8%
	Anwar	--	--	68.0%	69.0%	49.2%	75.8%	85.1%	12.1%	0.0%	19.7%
	Cash	--	--	--	--	0.0%	100.0%	100.0%	0.0%	--	--
	Colbert	94.3%	0.0%	--	68.9%	--	--	--	--	--	--
	Darden	--	--	--	--	0.0%	50.0%	50.0%	0.0%	--	0.0%
	Kansara	--	--	76.7%	64.7%	39.5%	53.5%	74.5%	18.7%	16.7%	9.2%
	Le	--	--	--	--	0.0%	0.0%	0.0%	100.0%	--	--
	Murphy	--	--	100.0%	--	--	--	--	--	--	100.0%
	Palang	--	--	--	--	--	--	--	--	--	--
	Smith	100.0%	0.0%	85.7%	86.7%	31.7%	43.4%	71.1%	22.9%	10.0%	27.3%



## HEDIS - Effectiveness of Chronic Care - Clinic Only

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

Location	Provider	Children Prescribed ADHD Meds		Drug Therapy	Appro. Meds.	Controlling High Blood Pressure				Osteoporosis Mgmt	Spirometry Testing for COPD	
		One Follow-up within 30 Days	Two Follow-ups within 30 and 270 days	for Rheumatoid Arthritis	for People with Asthma	< 130 / 80	< 140 / 80	< 140 / 90	Not Controlled			
SETMA 2	Wheeler	100.0%	0.0%	55.4%	81.6%	34.2%	50.8%	71.3%	27.1%	0.0%	14.3%	
<b>SETMA 2 Totals:</b>		92.8%	0.0%	73.9%	73.0%	36.5%	51.8%	75.7%	19.6%	5.6%	16.1%	
SETMA Lumberton	Castro	--	--	33.3%	75.0%	46.7%	62.3%	84.4%	9.8%	0.0%	22.2%	
	Colbert	98.4%	0.0%	--	70.0%	--	--	--	--	--	--	
	Feldschau	--	--	--	--	--	--	--	--	--	--	
	Foster	50.0%	0.0%	63.6%	76.7%	41.1%	50.4%	79.4%	10.4%	14.3%	11.5%	
	Halbert	--	--	--	--	33.3%	50.0%	66.7%	33.3%	--	--	
	Holly	--	--	50.0%	100.0%	67.6%	84.3%	96.3%	3.7%	0.0%	16.7%	
	Horn	--	--	50.0%	100.0%	20.0%	40.0%	93.3%	6.7%	0.0%	0.0%	
	Kansara	--	--	33.3%	100.0%	51.7%	61.0%	82.2%	11.0%	0.0%	9.5%	
	Khan	--	--	--	100.0%	28.6%	42.9%	58.7%	33.3%	100.0%	11.1%	
	Palang	--	--	--	--	--	--	--	--	--	--	--
	Qureshi	--	--	100.0%	33.3%	41.3%	50.0%	63.0%	26.1%	0.0%	12.5%	
Ramirez	100.0%	0.0%	65.2%	83.6%	43.1%	54.5%	74.5%	17.8%	12.9%	18.5%		
<b>SETMA Lumberton Totals:</b>		96.9%	0.0%	60.7%	79.3%	44.2%	55.6%	77.9%	14.4%	10.2%	15.7%	
SETMA Mid County	Castro	--	--	60.6%	96.2%	22.9%	34.7%	57.8%	34.1%	0.0%	17.9%	
	Feldschau	--	--	48.9%	88.5%	31.5%	53.4%	71.4%	25.2%	17.2%	12.8%	
	George	--	--	73.3%	100.0%	30.7%	55.3%	76.5%	12.3%	0.0%	19.2%	
	Le	60.0%	0.0%	25.0%	100.0%	17.8%	28.9%	57.8%	28.9%	0.0%	40.0%	
	Ramirez	--	--	33.3%	80.0%	21.7%	41.5%	76.4%	10.4%	0.0%	5.1%	
	Shepherd	--	--	35.1%	88.9%	33.6%	53.5%	83.3%	9.7%	12.8%	18.4%	
	Thomas	--	--	28.6%	86.2%	20.8%	30.1%	60.0%	29.2%	13.3%	18.2%	
<b>SETMA Mid County</b>		60.0%	0.0%	48.0%	90.3%	28.3%	45.6%	70.9%	21.5%	10.5%	15.1%	



## HEDIS - Effectiveness of Chronic Care - Clinic Only

E & M Codes: Clinic Only  
 Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

Location	Provider	Children Prescribed ADHD Meds		Drug Therapy	Appro. Meds.	Controlling High Blood Pressure				Osteoporosis Mgmt	Spirometry Testing for COPD
		One Follow-up within 30 Days	Two Follow-ups within 30 and 270 days	for Rheumatoid Arthritis	for People with Asthma	< 130 / 80	< 140 / 80	< 140 / 90	Not Controlled		
<b>Totals:</b>											
SETMA Orange	Castro	--	--	100.0%	100.0%	24.4%	39.0%	49.6%	47.2%	0.0%	0.0%
	Cox	75.0%	0.0%	66.7%	61.7%	26.9%	42.4%	77.3%	11.8%	62.5%	12.2%
	Green	75.0%	0.0%	50.0%	73.8%	22.0%	33.1%	57.6%	35.5%	20.0%	16.3%
	Shepherd	--	--	16.7%	0.0%	26.2%	42.9%	83.3%	7.1%	0.0%	0.0%
<b>SETMA Orange Totals:</b>		75.0%	0.0%	56.6%	69.0%	24.5%	37.9%	66.9%	24.6%	31.8%	14.4%
SETMA West	Akhter	--	--	--	--	--	--	--	--	--	--
	Darden	--	--	52.0%	86.4%	51.3%	63.8%	82.6%	14.1%	0.0%	23.5%
	Deiparine, C	--	--	37.0%	82.2%	58.7%	70.5%	89.0%	9.1%	33.3%	26.9%
	Halbert	100.0%	0.0%	46.7%	76.5%	38.3%	54.5%	73.7%	19.1%	17.0%	9.4%
	Horn	--	--	60.3%	83.8%	39.8%	51.3%	91.2%	4.7%	13.8%	19.1%
	Khan	--	--	41.7%	67.6%	28.1%	41.8%	61.1%	30.7%	0.0%	32.2%
	Qureshi	--	--	29.0%	97.0%	25.3%	31.3%	52.0%	33.0%	0.0%	40.7%
<b>SETMA West Totals:</b>		100.0%	0.0%	46.9%	82.6%	41.7%	54.4%	78.4%	15.6%	13.3%	20.2%
<b>SETMA Totals:</b>		92.3%	0.0%	57.6%	81.2%	34.4%	47.9%	73.4%	19.8%	11.6%	21.4%

Children Prescribed ADHD Meds - Children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who have at least three follow-up care visits within a 10-month period, one of which is within 30 days of when the first ADHD medication was dispensed.

Drug Therapy For Rheumatoid Arthritis - Patients diagnosed with rheumatoid arthritis who were dispensed at least one ambulatory prescription for a disease-modifying anti-rheumatic drug.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Controlling High Blood Pressure - Patients 8 to 85 years of age with a diagnosis of chronic hypertension.

Osteoporosis Management In Women Who Had A Fracture - Women 67 years of age and older who suffered a fracture and who had either (1) a bone mineral density test or (2) a prescription for a drug to treat osteoporosis within six months following the fracture.

Spirometry Testing In The Assessment And Diagnosis of COPD - Patients 40 years of age and older with a diagnosis of or newly active COPD who received appropriate spirometry testing to confirm the



## **HEDIS - Effectiveness of Chronic Care - Clinic Only**

---

E & M Codes: Clinic Only  
Encounter Date(s): Jan 1, 2017 through Dec 31, 2017

---

diagnosis.