



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Adult BMI	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Childhood Immunizations	Colorectal Cancer Screening	Lead Screening in Children	Child BMI
SETMA 1	Aziz	91.6%	47.5%	45.7%	--	--	92.9%	--	--
	Duncan	97.8%	61.3%	61.8%	--	--	85.9%	--	--
	Henderson	97.5%	56.7%	69.9%	--	--	87.7%	--	--
	Holly	100.0%	62.5%	40.0%	--	--	100.0%	--	--
	Le	98.3%	35.7%	69.7%	--	--	82.4%	--	--
	Murphy	98.7%	51.9%	51.4%	--	--	84.3%	--	--
	Palang	100.0%	58.5%	90.0%	--	--	80.0%	--	--
	Thomas	100.0%	50.0%	40.0%	--	--	92.9%	--	--
SETMA 1 Totals:		97.3%	53.1%	63.2%	--	--	86.4%	--	--
SETMA 2	Akhter	100.0%	41.7%	34.1%	--	--	90.7%	--	--
	Anthony	95.5%	77.8%	28.6%	--	--	90.0%	--	--
	Anwar	99.1%	52.9%	56.4%	--	--	90.8%	--	--
	Kansara	100.0%	53.3%	42.9%	--	--	76.6%	--	--
	Smith	96.2%	61.8%	50.0%	--	--	89.4%	--	--
	Wheeler	94.6%	44.6%	69.0%	--	--	77.6%	--	--
SETMA 2 Totals:		97.7%	51.4%	50.9%	--	--	86.2%	--	--
SETMA Lumberton	Castro	100.0%	50.0%	0.0%	--	--	100.0%	--	--
	Foster	100.0%	41.5%	66.7%	--	--	89.1%	--	--
	Holly	100.0%	--	--	--	--	57.1%	--	--
	Horn	100.0%	40.0%	66.7%	--	--	100.0%	--	--
	Kansara	100.0%	0.0%	0.0%	--	--	100.0%	--	--
	Qureshi	100.0%	--	--	--	--	100.0%	--	--
	Ramirez	100.0%	33.3%	80.0%	--	--	93.8%	--	--
SETMA Lumberton Totals:		100.0%	39.3%	61.1%	--	--	89.3%	--	--
SETMA Mid County	Castro	94.6%	59.0%	58.1%	--	--	88.3%	--	--
	Feldschau	100.0%	34.4%	23.1%	--	--	81.8%	--	--
	George	100.0%	42.9%	0.0%	--	--	50.0%	--	--



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Adult BMI	Breast Cancer Screening	Cervical Cancer Screening	Chlamydia Screening	Childhood Immunizations	Colorectal Cancer Screening	Lead Screening in Children	Child BMI
SETMA Mid County	Halbert	100.0%	0.0%	0.0%	--	--	100.0%	--	--
	Ramirez	100.0%	33.3%	52.4%	--	--	91.9%	--	--
	Shepherd	100.0%	54.5%	35.7%	--	--	89.1%	--	--
	Thomas	100.0%	50.0%	0.0%	--	--	88.9%	--	--
SETMA Mid County Totals:		98.5%	46.5%	39.5%	--	--	86.0%	--	--
SETMA Orange	Castro	100.0%	50.0%	60.0%	--	--	78.6%	--	--
	Cox	91.7%	41.0%	48.4%	--	--	92.3%	--	--
	Green	100.0%	45.5%	91.7%	--	--	92.0%	--	--
SETMA Orange Totals:		96.3%	43.8%	66.7%	--	--	90.5%	--	--
SETMA West	Darden	98.1%	39.5%	49.1%	--	--	85.8%	--	--
	Deiparine, C	100.0%	62.3%	67.2%	--	--	93.0%	--	--
	Halbert	97.1%	33.9%	41.2%	100.0%	--	80.7%	--	--
	Horn	100.0%	52.5%	41.8%	100.0%	--	91.3%	--	--
	Khan	100.0%	41.7%	38.9%	--	--	87.1%	--	--
	Qureshi	98.7%	43.9%	47.3%	--	--	92.1%	--	--
SETMA West Totals:		99.1%	47.7%	48.4%	100.0%	--	88.5%	--	--
SETMA Totals:		98.1%	49.3%	53.7%	100.0%	--	87.3%	--	--

Adult Body Mass Assessment - Calculation of Body Mass Index (BMI) for patients 18 to 74 years of age.

Breast Cancer Screening - Yearly mammography screening for women 40 to 69 years of age.

Cervical Cancer Screening - Cervical cancer screening for women 21 to 64 years of age at least every two years.

Chlamydia Screening - Sexually active females between the ages of 16 and 24 should have a Chlamydia screening at least yearly.

Childhood Immunizations - Children should have the following immunizations by their second birthday: four diphtheria, tetanus and acellular pertussis (DTaP/DT), three polio (IPV), one measles, mumps and rubella (MMR), two H influenza type B (HiB) three hepatitis B, one chicken pox (VZV) and four pneumococcal conjugate vaccines.

Colorectal Cancer Screening - Patients 50 to 80 years of age should have at least one of the following: a colonoscopy within the last nine years, a flexible sigmoidoscopy within the last four years, a double contrast barium enema within the last four years or a fecal occult blood test within the last year.



HEDIS - Effectiveness of Preventive Care

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Lead Screening in Children - Children should have a serum lead screening by the time of their second birthday.

Childhood Body Mass Assessment - Children 2 to 18 years of age should have the Body Mass Index (BMI) percentile documented.