



NQF - Medication Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA 1	Aziz	94.7%	63.6%	--	87.7%	27.1%	17.7%	100.0%	43.5%
	Duncan	94.3%	96.9%	0.0%	69.3%	38.5%	15.4%	99.9%	38.1%
	Henderson	93.5%	81.2%	100.0%	78.3%	23.6%	8.0%	100.0%	53.8%
	Holly	94.8%	--	--	81.4%	13.7%	2.6%	100.0%	55.6%
	Le	58.0%	76.9%	--	72.1%	30.2%	14.9%	99.9%	32.4%
	Murphy	86.5%	88.2%	--	80.1%	22.7%	6.8%	100.0%	40.7%
	Palang	98.6%	91.7%	0.0%	64.9%	29.8%	9.1%	100.0%	37.3%
	Thomas	100.0%	--	--	83.3%	25.0%	5.0%	100.0%	0.0%
SETMA 1 Totals:		88.9%	86.1%	25.0%	75.8%	27.7%	10.9%	100.0%	40.3%
SETMA 2	Akhter	83.0%	85.7%	0.0%	88.0%	31.0%	7.1%	100.0%	42.1%
	Anthony	89.5%	75.0%	--	74.1%	30.2%	13.4%	99.8%	37.5%
	Anwar	97.6%	61.5%	--	75.4%	22.7%	6.3%	100.0%	42.4%
	Colbert	88.0%	62.5%	--	--	--	--	99.8%	--
	Duncan	100.0%	--	--	--	0.0%	0.0%	100.0%	--
	Kansara	93.9%	40.0%	--	71.8%	21.6%	7.5%	99.7%	50.0%
	Le	100.0%	--	--	--	--	--	100.0%	--
	Smith	86.4%	87.5%	--	77.7%	32.9%	11.9%	100.0%	22.7%
	Wheeler	7.3%	70.0%	--	56.9%	40.2%	22.2%	99.8%	59.1%
SETMA 2 Totals:		80.6%	67.6%	0.0%	75.5%	28.0%	9.9%	99.9%	42.3%
SETMA Lumberton	Castro	84.6%	--	100.0%	100.0%	29.6%	7.4%	100.0%	0.0%
	Colbert	53.8%	50.0%	--	--	--	--	100.0%	--
	Foster	98.6%	81.2%	100.0%	72.9%	28.2%	12.9%	99.9%	41.7%
	Holly	96.4%	--	--	71.4%	22.0%	2.4%	100.0%	--
	Horn	100.0%	100.0%	--	71.4%	19.2%	3.8%	100.0%	50.0%



NQF - Medication Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA Lumberton	Kansara	93.8%	100.0%	--	83.3%	14.3%	0.0%	100.0%	50.0%
	Khan	100.0%	--	--	100.0%	0.0%	0.0%	100.0%	--
	Qureshi	95.0%	--	0.0%	100.0%	12.5%	12.5%	100.0%	50.0%
	Ramirez	95.2%	100.0%	50.0%	78.6%	37.3%	17.3%	98.9%	75.0%
SETMA Lumberton Totals:		93.6%	82.6%	60.0%	75.5%	27.9%	11.6%	99.8%	48.7%
SETMA Mid County	Castro	96.9%	100.0%	50.0%	79.6%	24.9%	9.7%	99.9%	29.4%
	Feldschau	98.8%	83.3%	75.0%	73.9%	40.2%	13.1%	100.0%	11.1%
	George	45.7%	100.0%	--	85.7%	29.7%	9.9%	100.0%	25.0%
	Halbert	0.0%	--	--	--	--	--	100.0%	--
	Ramirez	98.7%	80.0%	25.0%	77.1%	43.3%	11.3%	99.8%	7.7%
	Shepherd	96.2%	100.0%	--	82.8%	20.2%	7.3%	100.0%	30.2%
	Thomas	98.7%	88.9%	--	72.6%	28.0%	10.5%	99.8%	11.8%
SETMA Mid County Totals:		95.4%	89.3%	50.0%	78.4%	30.4%	10.2%	99.9%	20.8%
SETMA Orange	Castro	99.0%	--	50.0%	85.7%	24.6%	6.2%	99.0%	0.0%
	Cox	97.3%	83.3%	--	78.0%	27.3%	10.8%	100.0%	31.0%
	Green	98.7%	78.3%	--	72.5%	37.4%	14.7%	99.8%	9.1%
	Kansara	100.0%	--	--	--	0.0%	0.0%	100.0%	--
	Shepherd	98.0%	--	--	78.6%	13.9%	11.1%	100.0%	50.0%
SETMA Orange Totals:		98.1%	80.0%	50.0%	76.5%	30.1%	11.8%	99.8%	26.7%
SETMA West	Darden	98.0%	90.6%	0.0%	69.0%	28.5%	11.0%	100.0%	16.7%
	Deiparine, C	98.1%	57.1%	--	73.8%	23.9%	5.3%	99.8%	20.7%
	Halbert	93.2%	72.7%	0.0%	71.3%	24.3%	8.1%	99.8%	36.4%
	Horn	97.9%	84.6%	0.0%	71.5%	17.6%	4.0%	100.0%	36.0%
	Khan	98.4%	71.4%	--	65.5%	29.8%	7.3%	100.0%	44.4%



NQF - Medication Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Documentation of Allergies / Reactions	Appropriate Medications for People with Asthma	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	LDL Drug Therapy for Patients with CAD	At Least 1 High Risk Medication	At Least 2 High Risk Medications	Current Medication List	Warfarin Therapy for Patients with Atrial Fibrillation
SETMA West	Qureshi	92.1%	92.3%	15.4%	71.7%	29.7%	15.4%	100.0%	22.2%
SETMA West Totals:		96.2%	80.4%	12.5%	71.0%	24.4%	7.9%	99.9%	30.4%
SETMA Totals:		90.4%	79.2%	32.0%	75.1%	27.7%	10.0%	99.9%	34.6%

Documentation of Allergies/Reactions - Percentage of patients having documentation of allergies and adverse reactions in their medical record.

Appropriate Medications For People With Asthma - Patients 5 to 56 years of age with persistent asthma who were appropriately prescribed at least one asthma medication.

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Patients 18 to 64 years of age who were diagnosed with acute bronchitis and not prescribed an antibiotic.

LDL Drug Therapy - Percentage of patients with CAD who were prescribed a lipid-lowering therapy.

Current Medication List - Percentage of patients having a medication list on their medical record.

Warfarin Therapy for Patients with Atrial Fibrillation - Percentage of patients with atrial fibrillation who were perscribed warfarin therapy.