



NQF - Pediatric Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Childhood Immunization Status	Appropriate Treatment for Children with Pharyngitis
SETMA 1	Aziz	--	--
	Duncan	--	--
	Henderson	--	50.0%
	Holly	--	--
	Le	--	33.3%
	Murphy	--	--
	Palang	--	--
	Thomas	--	--
SETMA 1 Totals:		--	42.9%
SETMA 2	Akhter	--	--
	Anthony	0.0%	14.3%
	Anwar	--	--
	Colbert	0.0%	73.0%
	Duncan	--	--
	Kansara	--	--
	Le	--	--
	Smith	0.0%	30.0%
	Wheeler	0.0%	94.7%
SETMA 2 Totals:		0.0%	67.9%
SETMA Lumberton	Castro	--	--
	Colbert	0.0%	84.2%
	Foster	0.0%	68.8%
	Holly	--	--
	Horn	--	--
	Kansara	--	--
	Khan	--	--



NQF - Pediatric Measures

E & M Codes: Clinic Only
 Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

Location	Provider	Childhood Immunization Status	Appropriate Treatment for Children with Pharyngitis
SETMA Lumberton	Qureshi	--	--
	Ramirez	--	--
SETMA Lumberton Totals:		0.0%	77.1%
SETMA Mid County	Castro	--	--
	Feldschau	--	--
	George	--	--
	Halbert	--	--
	Ramirez	--	--
	Shepherd	--	--
	Thomas	--	--
SETMA Mid County Totals:		--	--
SETMA Orange	Castro	--	--
	Cox	--	100.0%
	Green	--	75.0%
	Kansara	--	--
	Shepherd	--	--
SETMA Orange Totals:		--	83.3%
SETMA West	Darden	--	--
	Deiparine, C	--	--
	Halbert	--	--
	Horn	--	66.7%
	Khan	--	--
	Qureshi	--	--
SETMA West Totals:		--	66.7%
SETMA Totals:		0.0%	68.9%

Childhood Immunizations - Children should have the following immunizations by their second birthday: four diphtheria, tetanus and acellular pertussis (DTaP/DT), three polio (IPV), one measles, mumps



NQF - Pediatric Measures

E & M Codes: Clinic Only

Encounter Date(s): Jan 1, 2017 through Mar 31, 2017

and rubella (MMR), two H influenza type B (HiB) three hepatitis B, one chicken pox (VZV) and four pneumococcal conjugate vaccines.

Appropriate Testing for Children with Pharyngitis - Patients 2 to 18 years of age who were diagnosed with Pharyngitis and given an antibiotic and a strep test for the episode.