

SETMA

CORE MEASURES

Baptist Hospital of Southeast Texas

JAN 2011 – DEC 2011

Core Measures						
MEASURE	CASES	RESULT	NATIONAL		SYSTEM	
			TOP 10	AVG	HIGH TARGET	LOW TARGET
Joint Commission Measures						
Appropriate Care Measure 10 (ACM-10)	67 / 68 (1)	98.53%	N/A	N/A	100.00%	95.00%
Appropriate Care Measure ICD-9 (ACM-10 ICD-9)	94 / 94 (0)	100.00%	N/A	N/A	100.00%	95.00%
Appropriate Care Measure Total (ACM-Total)	124 / 144 (20)	86.11%	N/A	N/A	100.00%	95.00%
Appropriate Care Measure Total ICD-9 (ACM-Total ICD-9)	158 / 158 (0)	100.00%	N/A	N/A	100.00%	95.00%
AMI ICD-9 (AMI ICD-9)	32 / 32 (0)	100.00%	N/A	N/A	100.00%	95.00%
ASA at Arrival (AMI-1) [Zynx]	29 / 30 (1)	96.67%	100.00%	98.86%	100.00%	96.23%
Statin Prescribed at Discharge (AMI-10)	22 / 23 (1)	95.65%	N/A	N/A	90.00%	80.00%
ASA Prescribed at Disch (AMI-2) [Zynx]	22 / 22 (0)	100.00%	100.00%	98.79%	100.00%	95.08%
ACEI or ARB for LVSD (AMI-3) [Zynx]	7 / 7 (0)	100.00%	100.00%	96.59%	100.00%	85.44%
Adult Smoke Cessation Advice/Couns (AMI-4) [Zynx]	7 / 7 (0)	100.00%	100.00%	99.62%	100.00%	94.14%
BB Prescribed at Disch (AMI-5) [Zynx]	26 / 26 (0)	100.00%	100.00%	98.57%	100.00%	94.23%
Median time to primary PCI (AMI-8) [Zynx]	0 / 4 (4)	0.00%	N/A	N/A	100.00%	90.00%
Primary PCI Recd w/in 90 min of Arrival (AMI-8a) [Zynx]	4 / 4 (0)	100.00%	100.00%	91.16%	100.00%	90.00%
HF ICD-9 (HF ICD-9)	29 / 29 (0)	100.00%	N/A	N/A	100.00%	95.00%
Disch Instructions (HF-1) [Zynx]	18 / 20 (2)	90.00%	100.00%	90.83%	93.80%	63.57%
Eval of LVSF (HF-2) [Zynx]	24 / 24 (0)	100.00%	100.00%	98.75%	99.20%	90.66%
ACEI for LVSD (HF-3)	7 / 7 (0)	100.00%	100.00%	95.46%	98.13%	83.73%
Adult Smoke Cessation Advice/Couns (HF-4) [Zynx]	3 / 3 (0)	100.00%	100.00%	99.10%	100.00%	89.62%
PerfectCare - AMI (PC-AMI)	29 / 31 (2)	93.55%	N/A	N/A	100.00%	95.00%
PerfectCare - HF (PC-HF)	22 / 24 (2)	91.67%	N/A	N/A	100.00%	95.00%
PerfectCare - PN (PC-PN)	24 / 28 (4)	85.71%	N/A	N/A	100.00%	95.00%
PerfectCare - SCIP (PC-SCIP)	51 / 64 (13)	79.69%	N/A	N/A	100.00%	95.00%
PN ICD-9 (PN ICD-9)	33 / 33 (0)	100.00%	N/A	N/A	100.00%	95.00%
Pneumococcal Vaccination (PN-2) [Zynx]	13 / 13 (0)	100.00%	100.00%	94.81%	92.03%	70.55%

BC Performed w/in 24 hrs of Arrival (PN-3a)	7 / 7 (0)	100.00%	100.00%	96.85%	90.00%	80.00%
BC Performed in ED Prior to Init Atbx Recd in Hosp (PN-3b)	23 / 25 (2)	92.00%	100.00%	96.39%	97.84%	89.16%
Adult Smoke Cessation Advce/Couns (PN-4) [Zvnx]	4 / 4 (0)	100.00%	100.00%	98.38%	100.00%	87.04%
Init Atbx Recd w/in 6 hrs of Arrival (PN-5c)	18 / 19 (1)	94.74%	100.00%	95.77%	100.00%	90.00%
Init Atbx Sel for CAP in Immuno Pts (PN-6)	9 / 9 (0)	100.00%	N/A	N/A	100.00%	95.00%
Init Atbx Sel for CAP in Immuno Pts ICU (PN-6a)	3 / 3 (0)	100.00%	100.00%	77.18%	90.00%	80.00%
Init Atbx Sel for CAP in Immuno Pts non-ICU (PN-6b)	6 / 6 (0)	100.00%	100.00%	95.23%	90.00%	80.00%
Influenza Vaccination (PN-7) [Zvnx]	10 / 11 (1)	90.91%	100.00%	92.06%	90.00%	80.00%
SCIP ICD-9 (SCIP ICD-9)	67 / 67 (0)	100.00%	N/A	N/A	100.00%	95.00%
Surg Pts on BB Rx Prior to Adm and Recd BB Periop (SCIP-Card2)	25 / 26 (1)	96.15%	100.00%	94.42%	90.00%	80.00%
Surgery Patients with Perioperative Temperature Management (SCIP-Inf10)	42 / 42 (0)	100.00%	N/A	N/A	90.00%	80.00%
Proph Atbx Recd w/in 1hr Prior to Surg Incsn Overall (SCIP-Inf1a)	39 / 40 (1)	97.50%	100.00%	97.38%	100.00%	90.00%
Proph Atbx Recd w/in 1hr Prior to Surg Incsn CABG (SCIP-Inf1b)	12 / 12 (0)	100.00%	100.00%	97.78%	100.00%	85.89%
Proph Atbx Recd w/in 1hr Prior to Surg Incsn Othr Card Surg (SCIP-Inf1c)	5 / 5 (0)	100.00%	100.00%	97.63%	100.00%	84.17%
Proph Atbx Recd w/in 1hr Prior to Surg Incsn Hip (SCIP-Inf1d)	9 / 9 (0)	100.00%	100.00%	97.50%	95.70%	86.66%
Proph Atbx Recd w/in 1hr Prior to Surg Incsn Knee (SCIP-Inf1e)	3 / 3 (0)	100.00%	100.00%	98.04%	98.41%	88.62%
Proph Atbx Recd w/in 1hr Prior to Surg Incsn Colon (SCIP-Inf1f)	8 / 8 (0)	100.00%	100.00%	94.72%	93.28%	78.55%
Proph Atbx Recd w/in 1hr Prior to Surg Incsn Vasc Surg (SCIP-Inf1h)	2 / 3 (1)	66.67%	100.00%	96.00%	98.84%	79.59%

Proph Atbx Sel for Surg Pts Overall (SCIP-Inf2a)	39 / 40 (1)	97.50%	100.00%	97.81%	100.00%	90.00%
Proph Atbx Sel for Surg Pts CABG (SCIP-Inf2b)	12 / 12 (0)	100.00%	100.00%	99.64%	100.00%	96.41%
Proph Atbx Sel for Surg Pts Othr Card Surg (SCIP-Inf2c)	5 / 5 (0)	100.00%	100.00%	99.75%	100.00%	93.92%
Proph Atbx Sel for Surg Pts Hip (SCIP-Inf2d)	9 / 9 (0)	100.00%	100.00%	99.47%	100.00%	97.27%
Proph Atbx Sel for Surg Pts Knee (SCIP-Inf2e)	3 / 3 (0)	100.00%	100.00%	99.53%	100.00%	97.34%
Proph Atbx Sel for Surg Pts Colon (SCIP-Inf2f)	7 / 8 (1)	87.50%	100.00%	91.42%	100.00%	72.10%
Proph Atbx Sel for Surg Pts Vasc Surg (SCIP-Inf2h)	3 / 3 (0)	100.00%	100.00%	98.24%	100.00%	93.44%
Proph Atbx DCd w/in 24 hrs After Surgery Overall (SCIP-Inf3a)	35 / 35 (0)	100.00%	99.71%	95.74%	95.90%	75.15%
Proph Atbx DCd w/in 48 hrs After Surgery CABG (SCIP-Inf3b)	10 / 10 (0)	100.00%	100.00%	97.14%	100.00%	73.01%
Proph Atbx DCd w/in 48 hrs After Surgery Othr Card Surg (SCIP-Inf3c)	5 / 5 (0)	100.00%	100.00%	96.54%	100.00%	75.32%
Proph Atbx DCd w/in 24 hrs After Surgery Hip (SCIP-Inf3d)	9 / 9 (0)	100.00%	100.00%	95.89%	91.36%	74.13%
Proph Atbx DCd w/in 24 hrs After Surgery Knee (SCIP-Inf3e)	3 / 3 (0)	100.00%	100.00%	96.73%	99.19%	77.26%
Proph Atbx DCd w/in 24 hrs After Surgery Colon (SCIP-Inf3f)	5 / 5 (0)	100.00%	100.00%	90.79%	84.21%	65.00%
Proph Atbx DCd w/in 24 hrs After Surgery Vascular (SCIP-Inf3h)	3 / 3 (0)	100.00%	100.00%	91.90%	86.84%	62.45%
Card Surgery Pts w/ Control 6 AM Postop Glucose (SCIP-Inf4)	17 / 18 (1)	94.44%	99.03%	94.09%	90.00%	80.00%
Surg Pts w/ Approp Hair Removal (SCIP-Inf6)	65 / 65 (0)	100.00%	100.00%	99.66%	90.00%	80.00%
Urinary Catheter Removed on Postoperative Day 1 (POD 1) or Postoperative Day 2 (POD 2) With Day of Surgery Being Day Zero (SCIP-Inf9)	18 / 21 (3)	85.71%	99.45%	91.30%	90.00%	80.00%
SCIP-Inf d ICD-9 CABG ICD-9 (SCIP-Inf b ICD-9)	15 / 15 (0)	100.00%	N/A	N/A	100.00%	95.00%
SCIP-Inf d ICD-9 Othr Card Surg ICD-9 (SCIP-Inf c ICD-9)	5 / 5 (0)	100.00%	N/A	N/A	100.00%	95.00%
SCIP-Inf d ICD-9 Hip ICD-9 (SCIP-Inf d ICD-9)	9 / 9 (0)	100.00%	N/A	N/A	100.00%	95.00%
SCIP-Inf e ICD-9 Knee ICD-9 (SCIP-Inf e ICD-9)	3 / 3 (0)	100.00%	N/A	N/A	100.00%	95.00%
SCIP-Inf f ICD-9 Colon ICD-9 (SCIP-Inf f ICD-9)	12 / 12 (0)	100.00%	N/A	N/A	100.00%	95.00%
SCIP-Inf h ICD-9 Vasc Surg ICD-9 (SCIP-Inf h ICD-9)	5 / 5 (0)	100.00%	N/A	N/A	100.00%	95.00%
Surg Pts w/ Recomm VTE Proph Ordered (SCIP-VTE1)	30 / 34 (4)	88.24%	N/A	N/A	90.00%	80.00%
Surg Pts Recd Approp VTE Proph w/in 24 hrs of Surg (SCIP-VTE2)	27 / 34 (7)	79.41%	N/A	N/A	90.00%	80.00%
VTE Prophylaxis (STK-1)	24 / 26 (2)	92.31%	98.40%	88.11%	N/A	N/A
Assessed for Rehabilitation (STK-10)	25 / 25 (0)	100.00%	100.00%	96.94%	N/A	N/A
Discharged on Antithrombotic Therapy (STK-2)	21 / 21 (0)	100.00%	100.00%	98.65%	N/A	N/A

Anticoagulation Thpy for Atrial Fibrillation/Flutter (STK-3)	3 / 3 (0)	100.00%	100.00%	94.26%	N/A	N/A
Thrombolytic Therapy (STK-4)	4 / 4 (0)	100.00%	100.00%	61.03%	N/A	N/A
Antithrombotic Therapy By End of Hospital Day 2 (STK-5)	21 / 21 (0)	100.00%	100.00%	97.30%	N/A	N/A
Discharged on Statin Medication (STK-6)	17 / 19 (2)	89.47%	100.00%	92.86%	N/A	N/A
Stroke Education (STK-8)	8 / 10 (2)	80.00%	100.00%	82.12%	N/A	N/A
Joint Commission Measures - Outpatient						
Prophylactic Antibiotic Initiated Within One Hour Prior to Surgical Incision (OP-6)	17 / 18 (1)	94.44%	N/A	N/A	N/A	N/A
Prophylactic Antibiotic Selection for Surgical Patients (OP-7)	17 / 17 (0)	100.00%	N/A	N/A	N/A	N/A